

Safety Data Sheet

Material: 60004600

HDK® N20
HYDROPHILIC PYROGENIC SILICA

Version: 1.6 (AU)

Date of print: 18.08.2017

Date of last alteration: 26.09.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial product name: **HDK® N20**
HYDROPHILIC PYROGENIC SILICA

CAS No.: 112945-52-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance / preparation:

Industrial.

Auxiliary agent for: Plastics , Lacquer , Building materials , elastomer products , cosmetics .

1.3 Details of the supplier of the safety data sheet

Manufacturer:	Wacker Chemie AG
Street/POB-No.:	Hanns-Seidel-Platz 4
State/postal code/city:	D 81737 München
Telephone:	+49 89 6279-0
Telefax:	+49 89 6279-1770
Distributor:	Wacker Chemie AG
	Care of Wacker Chemicals Australia Pty Ltd
Street/POB-No.:	Unit 1 / 35 Dunlop Road
State/postal code/city:	Mulgrave, Victoria 3170
Telephone:	+61 3 9541 8900
Telefax:	+61 3 9541 8989

Information about the Safety Data Sheet:	Telephone	+49 8677 83-4888
	Telefax	+49 8677 886-9722
	eMail	WLCP-MSDS@wacker.com

1.4 Emergency telephone number

Emergency Information:	Regulatory Compliance Manager	+61 3 9541 8900
Emergency response service only (24h):	Ixom ERS - Australia	1800 033 111
Emergency response service only (24h):	Ixom ERS - New Zealand	0800 734 607

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Non-Hazardous Chemical according to Australian GHS criteria. Non-Dangerous Goods to the ADG Code.

Not a hazardous substance or mixture.

2.2 Label elements

No labeling according to GHS required.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

3.1.1 Chemical characteristics

CAS No.: 112945-52-5

Pyrogenic micro-dispersed silica, synthetic X-ray amorphous silicon dioxide (SiO₂)

3.1.2 Ingredients

This material does not contain any reportable hazardous ingredients.

Safety Data Sheet

Material: 60004600

**HDK® N20
HYDROPHILIC PYROGENIC SILICA**

Version: 1.6 (AU)

Date of print: 18.08.2017

Date of last alteration: 26.09.2016

3.2 Mixtures

not applicable

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

After contact with the skin:

Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

After inhalation:

Provide fresh air.

After swallowing:

Give several small portions of water to drink. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

4.3 Advice for the doctor:

Further toxicology information in section 11 must be observed.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

not applicable

Extinguishing media which must not be used for safety reasons:

not applicable

5.2 Special hazards arising from the substance or mixture

Ambient fire may lead to hazardous fumes. Exposure to combustion products may be a health hazard! Hazardous combustion products: carbon oxides , silicon oxides , incompletely burnt hydrocarbons , toxic and very toxic fumes .

5.3 Advice for firefighters

Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

General information:

Product does not burn. Use extinguishing measures appropriate to the source of the fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid dust formation. Do not breathe dust. Avoid contact with eyes and skin.

6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Cover any spilled material in accordance with regulations to prevent dispersal by wind. Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

6.3 Methods and material for containment and cleaning up

Damp down dust and fill into containers. Avoid dust formation.

Safety Data Sheet

Material: 60004600

HDK® N20
HYDROPHILIC PYROGENIC SILICA

Version: 1.6 (AU)

Date of print: 18.08.2017

Date of last alteration: 26.09.2016

6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling:

Avoid dust formation. Observe information in section 8.

Precautions against fire and explosion:

Electrostatic discharge possible during transport and processing. Take precautionary measures against electrostatic charging. Ensure all parts of equipment are well earthed. Use inert gas when working with combustible and explosive liquids. Avoid dust deposit, remove dust regularly.

7.2 Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and vessels:

Observe local/state/federal regulations.

Advice for storage of incompatible materials:

Observe local/state/federal regulations.

Further information for storage:

Store in a dry and cool place.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Maximum airborne concentrations at the workplace:

CAS No.	Material	Type	mg/m ³	ppm	Dust fract.	Fibre/m ³
7631-86-9	Silica, amorphous	AGW	4.0		Inhalable dust/mist	
7631-86-9	Silica, amorphous	OEL	2.4		Respirable dust/mist	
7631-86-9	Silica, amorphous	OEL	6.0		Inhalable dust/mist	
7631-86-9	Silica, amorphous	ES_AU	2.0		Respirable dust/mist	

Re Amorphous silica: Exposure limits given for CAS no. 78-59-1 apply to all kinds of synthetic amorphous silica. Refer to Technical Rules for Hazardous Substances "TRGS 900" for more details on the German AGW.

Re Silica, amorphous: The exposure limits given for CAS-No. 7631-86-9 cover all types of synthetic amorphous silica.

Re Silica, amorphous: The exposure limits given for CAS-No. 7631-86-9 cover all types of synthetic amorphous silica.

8.2 Exposure controls

8.2.1 Exposure in the work place limited and controlled

General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not breathe dust. Avoid contact with eyes and skin. Application of skin cream recommended to ensure optimum protection of skin. Do not eat, drink or smoke when handling.

Personal protection equipment:**Respiratory protection**

Respirator must be worn if exposed to dust.

Safety Data Sheet

Material: 60004600

**HDK® N20
HYDROPHILIC PYROGENIC SILICA**

Version: 1.6 (AU)

Date of print: 18.08.2017

Date of last alteration: 26.09.2016

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used.

Suitable respiratory equipment: Filtering half-face mask, according to acknowledged standards such as EN 149.
Recommended Filter type: FFP1 or equivalent filter, according to acknowledged standards such as EN 149

Observe the equipment manufacturer's information and wear time limits for respirators.

Eye protection

Recommendation: protective goggles . In case of dust formation: tight fitting protective goggles .

Hand protection

Use of protective gloves is recommended when handling the material.

Recommended glove types: Rubber gloves
thickness of the material: > 1 mm
Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of nitrile rubber
thickness of the material: > 0.1 mm
Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

Skin protection

antistatic working shoes .

8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters, drains or sewers and soil. Can be removed mechanically from waste water.

8.2.3 Specific notes (Australia):

Select and use respirators in accordance with AS1715/1716.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Property:	Value:	Method:
Appearance		
Physical state / form	solid - powder	
Colour	white	
Odour		
Odour	odourless	
pH-Value		
pH-Value	3.6 - 4.5	(DIN EN ISO 787-9)
Melting point/freezing point		
Melting point / melting range	1700 °C	
Initial boiling point and boiling range		
Boiling point / boiling range	not applicable	
Flash point		
Flash point	not applicable	
Upper/lower flammability or explosive limits		
Lower explosion limit (LEL)	not applicable	
Upper explosion limit (UEL)	not applicable	
Vapour pressure		
Vapour pressure	not applicable	
Solubility(ies)		
Water solubility / miscibility	virtually insoluble at 20 °C	

Safety Data Sheet

Material: 60004600

HDK® N20
HYDROPHILIC PYROGENIC SILICA

Version: 1.6 (AU)

Date of print: 18.08.2017

Date of last alteration: 26.09.2016

Vapour density

Relative gas/vapour density: No data known.

Relative DensityRelative Density: approx. 2.2 (20 °C) (DIN 51757)
(Water / 4 °C = 1,00)Density: approx. 2.2 g/cm³ (20 °C) (DIN 51757)Bulk density: 20 - 130 kg/m³**Partition coefficient: n-octanol/water**

Partition coefficient: n-octanol/water.....: No data known.

Auto-ignition temperature

Ignition temperature: not applicable

Viscosity

Viscosity (dynamic): not applicable

9.2 Other information

No data available.

SECTION 10: Stability and reactivity**10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions**

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

10.4 Conditions to avoid**10.5 Incompatible materials**

none known

10.6 Hazardous decomposition products

If stored and handled properly: none known .

SECTION 11: Toxicological information**11.1 Information on toxicological effects****11.1.1 Acute toxicity****Assessment:**

Based on the available data acute toxic effects are not expected after single oral exposure. Based on the available data acute toxic effects are not expected after single dermal exposure. Based on the available data acute toxic effects are not expected after short-term inhalative exposure.

Product details:

Route of exposure	Result/Effect	Species/Test system	Source
oral	LD ₅₀ : > 5000 mg/kg	rat	literature
dermal	LD ₅₀ : > 5000 mg/kg	rabbit	literature
by inhalation (dust)	LC ₅₀ : > 0.139 mg/l; 4 h At the technically highest possible concentration no mortality in animal test.	rat	literature

11.1.2 Skin corrosion/irritation**Assessment:**

Based on the available data a clinically relevant skin irritation hazard is not expected.

Product details:

Result/Effect	Species/Test system	Source
not irritating	rabbit	literature

Safety Data Sheet

Material: 60004600

**HDK® N20
HYDROPHILIC PYROGENIC SILICA**

Version: 1.6 (AU)

Date of print: 18.08.2017

Date of last alteration: 26.09.2016

11.1.3 Serious eye damage / eye irritation**Assessment:**

Based on the available data a clinically relevant eye irritation hazard is not expected.

Product details:

Result/Effect	Species/Test system	Source
not irritating	rabbit	literature

11.1.4 Respiratory or skin sensitization**Assessment:**

During several years of handling this material, there were no indications of a skin-sensitizing potential.

11.1.5 Germ cell mutagenicity**Assessment:**

According to our present state of knowledge not mutagenic.

11.1.6 Carcinogenicity**Assessment:**

Animal tests have not revealed any carcinogenic effects.

11.1.7 Reproductive toxicity**Assessment:**

In animal experiments there have not been any indications of reproduction toxicity.

11.1.8 Specific target organ toxicity (single exposure)**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity (repeated exposure)**Assessment:**

Changes in the lungs (inflammatory processes) observed in animal experiments after chronic inhalative exposure were reversible; no indication of silicosis.

11.1.10 Aspiration hazard**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.11 Further toxicological information

By handling the product for many years no damage to health was observed.

SECTION 12: Ecological information**12.1 Toxicity****Assessment:**

No expected damaging effects to aquatic organisms. According to current knowledge adverse effects on water purification plants are not expected.

Product details:

Result/Effect	Species/Test system	Source
LC ₅₀ : > 10000 mg/l	zebra fish (Danio rerio) (96 h)	literature
EC ₅₀ : > 10000 mg/l	Daphnia magna (24 h)	literature

Safety Data Sheet

Material: 60004600

**HDK® N20
HYDROPHILIC PYROGENIC SILICA**

Version: 1.6 (AU)

Date of print: 18.08.2017

Date of last alteration: 26.09.2016

12.2 Persistence and degradability**Assessment:**

The substance is degradable in abiotic processes.

12.3 Bioaccumulative potential**Assessment:**

No adverse effects expected.

12.4 Mobility in soil**Assessment:**

No adverse effects expected.

12.5 Other adverse effects

none known

12.6 Additional information

Insoluble in water.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****13.1.1 Material**

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

SECTION 14: Transport information**14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group****Land transport ADG Code (road and rail)::**

Valuation: Not regulated for transport

Transport by sea IMDG-Code:

Valuation: Not regulated for transport

Air transport ICAO-TI/IATA-DGR:

Valuation: Not regulated for transport

14.5 Environmental hazards

Hazardous to the environment: no

14.6 Special precautions for user

Relevant information in other sections has to be considered.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Bulk transport in tankers is not intended.

Safety Data Sheet

Material: 60004600

HDK® N20
HYDROPHILIC PYROGENIC SILICA

Version: 1.6 (AU)

Date of print: 18.08.2017

Date of last alteration: 26.09.2016

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

15.1.1 Poisons Standard (Standard for the Uniform Scheduling of Medicines and Poisons; SUSMP)

Poisons Schedule number:

Not a Scheduled Poison.

Label elements:

15.2 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

South Korea (Republic of Korea).....	ECL (Existing Chemicals List): This product is listed in, or complies with, the substance inventory.
Japan.....	ENCS (Handbook of Existing and New Chemical Substances): This product is listed in, or complies with, the substance inventory.
Australia	AICS (Australian Inventory of Chemical Substances): This product is listed in, or complies with, the substance inventory.
People's Republic of China.....	IECSC (Inventory of Existing Chemical Substances in China): This product is listed in, or complies with, the substance inventory.
Canada.....	DSL (Domestic Substance List): This product is listed in, or complies with, the substance inventory.
Philippines	PICCS (Philippine Inventory of Chemicals and Chemical Substances): This product is listed in, or complies with, the substance inventory.
United States of America (USA)	TSCA (Toxic Substance Control Act Chemical Substance Inventory): This product is listed in, or complies with, the substance inventory.
Taiwan (Republic of China)	TCSI (Taiwan Chemical Substance Inventory): This product is listed in, or complies with, the substance inventory. General note: Taiwan REACH requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation.
European Economic Area (EEA)	REACH (Regulation (EC) No 1907/2006): REACH registration number: 01-21 19379499-16-0001 General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.

SECTION 16: Other information

16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

All deliveries are subject to the WACKER SILICONES Health Care Policy, which is available at www.wacker.com.

16.2 Further information:

Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

Safety Data Sheet

Material: 60004600

**HDK® N20
HYDROPHILIC PYROGENIC SILICA**

Version: 1.6 (AU)

Date of print: 18.08.2017

Date of last alteration: 26.09.2016

16.3 Glossary of Terms:

CAS No. - Chemical Abstracts Service Registry Number

UN No. - United Nations Dangerous Goods Number

ADG Code - Australian Dangerous Goods Code for the Transport of Dangerous Goods by Road & Rail

IMDG Code - International Maritime Dangerous Goods Code

IATA Regs - International Air Transport Association (IATA) Dangerous Goods Regulations

NOHSC - Australian National Occupational Health and Safety Commission (Note: NOHSC documents are now published by Safe Work Australia)

OEL - Occupational exposure limit in Great Britain

AGW - Occupational exposure limit in Germany

ES_AU - Occupational exposure standard in Australia

- End of Safety Data Sheet -