

Safety Data Sheet

Material: 60002712

**WACKER® AK 350
SILICONE FLUID**

Version: 1.14 (AU)

Date of print: 25.01.2019

Date of last alteration: 24.05.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Commercial product name: WACKER® AK 350
SILICONE FLUID****1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of substance / preparation:

Industrial.

Intermediate chemical

1.3 Details of the supplier of the safety data sheet**Manufacturer:** Wacker Chemie AG
Street/POB-No.: Hanns-Seidel-Platz 4
State/postal code/city: D 81737 München
Telephone: +49 89 6279-0
Telefax: +49 89 6279-1770**Distributor:** Wacker Chemie AG
Care of Wacker Chemicals Australia Pty Ltd
Street/POB-No.: Unit 1 / 35 Dunlop Road
State/postal code/city: Mulgrave, Victoria 3170
Telephone: +61 3 9541 8900
Telefax: +61 3 9541 8989**Information about the Safety Data Sheet:** **Telephone** +49 8677 83-4888
Telefax +49 8677 886-9722
eMail WLCP-MSDS@wacker.com**1.4 Emergency telephone number****Emergency Information:** **Regulatory Compliance Manager** **+61 3 9541 8900**
Emergency response service only (24h): **Ixom ERS - Australia** **1800 033 111**
Emergency response service only (24h): **Ixom ERS - New Zealand** **0800 734 607****SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Non-Hazardous Chemical according to Australian GHS criteria. Non-Dangerous Goods to the ADG Code.

Not a hazardous substance or mixture.

2.2 Label elements

No labeling according to GHS required.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients**3.1 Substances****3.1.1 Chemical characteristics**

Polydimethylsiloxane

3.1.2 Ingredients

This material does not contain any ingredients above the permitted limit(s).

3.2 Mixtures

not applicable

Safety Data Sheet

Material: 60002712

**WACKER® AK 350
SILICONE FLUID**

Version: 1.14 (AU)

Date of print: 25.01.2019

Date of last alteration: 24.05.2018

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

After contact with the skin:

Wipe off excess material with cloth or paper. Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

After inhalation:

Provide fresh air.

After swallowing:

Give several small portions of water to drink. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

4.3 Advice for the doctor:

Further toxicology information in section 11 must be observed.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

water mist , extinguishing powder , alcohol-resistant foam , carbon dioxide , sand .

Extinguishing media which must not be used for safety reasons:

water jet .

5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: carbon oxides , silicon oxides , incompletely burnt hydrocarbons , toxic and very toxic fumes .

5.3 Advice for firefighters

Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

If material is released indicate risk of slipping. Do not walk through spilled material.

6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Contain any fluid that runs out using suitable material (e.g. earth). Close leak if possible without risk.

6.3 Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. For small amounts: Absorb with a liquid binding material such as diatomaceous earth and dispose of according to local/state/federal regulations. Contain larger amounts and pump up into suitable containers. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

Safety Data Sheet

Material: 60002712

**WACKER® AK 350
SILICONE FLUID**

Version: 1.14 (AU)

Date of print: 25.01.2019

Date of last alteration: 24.05.2018

SECTION 7: Handling and storage

7.1 Precautions for safe handling

General information:

No special protective measures required.

Precautions for safe handling:

Spilled substance increases risk of slipping. Liquid silicone based materials have lubricating properties that can substantially reduce or eliminate traction and may pose a slip hazard. Please use warning labels on consumer products where traction is essential for safety.

Precautions against fire and explosion:

Observe the general rules for fire prevention.

7.2 Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and vessels:

none known

Advice for storage of incompatible materials:

not applicable

Further information for storage:

Keep container tightly closed. Store in a dry and cool place.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Maximum airborne concentrations at the workplace:

CAS No.	Material	Type	mg/m ³	ppm	Dust fract.	Fibre/m ³
	Aerosol - inhalable fraction		10.0			

-

The aerosol limit specified is a recommendation should aerosol be formed during processing.

8.2 Exposure controls

8.2.1 Exposure in the work place limited and controlled

General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not eat or drink when handling.

Personal protection equipment:**Respiratory protection**

not required .

Eye protection

Recommendation: protective goggles .

Hand protection

Recommendation: Protective gloves made of butyl rubber , Protective gloves made of nitrile rubber .

8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters and soil.

Safety Data Sheet

Material: 60002712

**WACKER® AK 350
SILICONE FLUID**

Version: 1.14 (AU)

Date of print: 25.01.2019

Date of last alteration: 24.05.2018

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Property:	Value:	Method:
Appearance		
Physical state / form	liquid	
Colour.....	colourless	
Odour		
Odour	odourless	
Odour limit		
Odour limit :	no data available	
pH-Value		
pH-Value	approx. 7	
Melting point/freezing point		
Melting point / melting range	-50 - -35 °C	
Initial boiling point and boiling range		
Boiling point / boiling range	not determinable	(EU-GL.A.2)
Flash point		
Flash point.....	260 °C	(ISO 2719)
Flash point.....	> 300 °C	(ISO 2592)
Evaporation rate		
Evaporation rate	no data available	
Upper/lower flammability or explosive limits		
Lower explosion limit (LEL)	not applicable	
Upper explosion limit (UEL).....	not applicable	
Vapour pressure		
Vapour pressure.....	not applicable	
Solubility(ies)		
Water solubility / miscibility.....	virtually insoluble at 20 °C	
Vapour density		
Relative gas/vapour density	No data known.	
Relative Density		
Relative Density	approx. 0.97 (25 °C)	(DIN 51757)
	(Water / 4 °C = 1,00)	
Density	approx. 0.97 g/cm ³ (25 °C)	(DIN 51757)
Partition coefficient: n-octanol/water		
Partition coefficient: n-octanol/water.....	No data known.	
Auto-ignition temperature		
Ignition temperature	410 °C	(EN 14522)
Decomposition temperature		
Thermal decomposition	Decomposition begins at > 250 °C	
Viscosity		
Viscosity (dynamic)	324 - 356 mPa.s at 25 °C	(DIN 53019)
Viscosity (kinematic).....	approx. 350 mm ² /s at 25 °C	(DIN 53019)
Molecular mass		
Molecular mass	no data available	

9.2 Other information

No data available.

SECTION 10: Stability and reactivity**10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions**

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

10.4 Conditions to avoid

none known

Safety Data Sheet

Material: 60002712

**WACKER® AK 350
SILICONE FLUID**

Version: 1.14 (AU)

Date of print: 25.01.2019

Date of last alteration: 24.05.2018

10.5 Incompatible materials

none known

10.6 Hazardous decomposition products

If stored and handled properly: none known . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****11.1.1 Acute toxicity****Product details:**

Route of exposure	Result/Effect	Species/Test system	Source
oral	LD ₅₀ : > 5000 mg/kg Neither mortality nor clinical signs of toxicity were observed with the given dose.	rat	literature (Polydimethylsiloxane)
dermal	LD ₅₀ : > 2008 mg/kg Neither mortality nor clinical signs of toxicity were observed with the given dose.	rat	literature (Polydimethylsiloxane)

11.1.2 Skin corrosion/irritation**Product details:**

Result/Effect	Species/Test system	Source
not irritating	rabbit	literature (Polydimethylsiloxane)

11.1.3 Serious eye damage / eye irritation**Product details:**

Result/Effect	Species/Test system	Source
not irritating	rabbit	literature (Polydimethylsiloxane)

11.1.4 Respiratory or skin sensitization**Product details:**

Route of exposure	Result/Effect	Species/Test system	Source
dermal	not sensitizing	guinea-pig; Magnusson-Kligman	literature (Polydimethylsiloxane) OECD 406

11.1.5 Germ cell mutagenicity**Assessment:**

Based on known data a significant mutagenic potential may be excluded.

Product details:

Result/Effect	Species/Test system	Source
negative	mutation assay (in vitro) bacterial cells	literature (Polydimethylsiloxane) OECD 471

Safety Data Sheet

Material: 60002712

**WACKER® AK 350
SILICONE FLUID**

Version: 1.14 (AU)

Date of print: 25.01.2019

Date of last alteration: 24.05.2018

11.1.6 Carcinogenicity**Assessment:**

Animal tests have not revealed any carcinogenic effects.

Product details:

Result/Effect	Species/Test system	Source
NOAEL: \geq 1000 mg/kg NOAEL= NOAEL (carcinogenic effects)	carcinogenicity study rat (F344) oral (feed) 2 a	literature (Polydimethylsiloxane)

11.1.7 Reproductive toxicity**Assessment:**

Animal tests have shown no indications of possibility of damage to embryo and impairment of fertility.

Product details:

Result/Effect (Examinations of developmental toxicity and teratogenicity)	Species/Test system	Source
NOAEL (developmental): \geq 1000 mg/kg NOAEL (maternal): \geq 1000 mg/kg Symptoms/Effect: Nothing abnormal detected.	Developmental Toxicity Study rabbit oral (gavage) ; day 6 - 19 of gestation	literature (Polydimethylsiloxane)

11.1.8 Specific target organ toxicity (single exposure)**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity (repeated exposure)**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

Product details:

Result/Effect	Species/Test system	Source
NOAEL: \geq 1000 mg/kg NOAEL = NOAEL (systemic effects)	chronic study rat oral (feed) 1 a Follow-up observation period: 1 a	literature (Polydimethylsiloxane)

11.1.10 Aspiration hazard**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.11 Further toxicological information

Human patch test: Product displays good compatibility with the skin.

SECTION 12: Ecological information**12.1 Toxicity****Assessment:**

Based on available data no effects on aquatic organisms that are relevant for classification must be expected for the product up to its limits of water solubility. According to current knowledge adverse effects on water purification plants are not expected.

Safety Data Sheet

Material: 60002712

**WACKER® AK 350
SILICONE FLUID**

Version: 1.14 (AU)

Date of print: 25.01.2019

Date of last alteration: 24.05.2018

Product details:

Result/Effect	Species/Test system	Source
> 1000 mg/l (nominal) effect level > maximum achievable concentration	static (water-accommodated fraction) Fish (96 h)	literature
EC ₅₀ : > 0.0001 mg/l (measured) effect level > maximum achievable concentration	static (water-accommodated fraction) Daphnia magna (48 h)	literature
LC ₅₀ (growth rate): > 100000 mg/l (nominal)	static (water-accommodated fraction) Marine alga (skeleonema costatum) (72 h)	literature
NOEC: > 10000 mg/kg	feeding study rainbow trout (Oncorhynchus mykiss) (28 d)	literature
NOEC (mortality, growth, reproduction): > 500 mg/kg The exposure to treated sediment did not result in effects.	exposure via sediment Daphnia magna (21 d)	literature

12.2 Persistence and degradability**Assessment:**

Silicone content: biologically not degradable. Elimination by adsorption to activated sludge. Polydimethylsiloxanes are degradable to a certain extent in abiotic processes.

12.3 Bioaccumulative potential**Assessment:**

Polymer component: Bioaccumulation is not expected to occur.

12.4 Mobility in soil**Assessment:**

Polymer component: insoluble in water. Adsorbs on soil.

12.5 Other adverse effects

none known

SECTION 13: Disposal considerations**13.1 Waste treatment methods****13.1.1 Material**

Recommendation:

Material that cannot be used or chemically reprocessed should be disposed of at an approved facility in accordance with any applicable governmental regulations.

13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations.

SECTION 14: Transport information**14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group****Land transport ADG Code (road and rail)::**

Valuation: Not regulated for transport

Transport by sea IMDG-Code:

Valuation: Not regulated for transport

Air transport ICAO-TI/IATA-DGR:

Valuation: Not regulated for transport

Safety Data Sheet

Material: 60002712

**WACKER® AK 350
SILICONE FLUID**

Version: 1.14 (AU)

Date of print: 25.01.2019

Date of last alteration: 24.05.2018

14.5 Environmental hazards

Hazardous to the environment: no

14.6 Special precautions for user

Relevant information in other sections has to be considered.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Bulk transport in tankers is not intended.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

15.1.1 Poisons Standard (Standard for the Uniform Scheduling of Medicines and Poisons; SUSMP)**Poisons Schedule number:**

Not a Scheduled Poison.

Label elements:**15.2 Details of international registration status**

Relevant information about individual substance inventories, where available, is given below.

South Korea (Republic of Korea)	ECL (Existing Chemicals List): This product is listed in, or complies with, the substance inventory.
Japan	ENCS (Handbook of Existing and New Chemical Substances): This product is listed in, or complies with, the substance inventory.
Australia	AICS (Australian Inventory of Chemical Substances): This product is listed in, or complies with, the substance inventory.
People's Republic of China	IECSC (Inventory of Existing Chemical Substances in China): This product is listed in, or complies with, the substance inventory.
Canada	DSL (Domestic Substance List): This product is listed in, or complies with, the substance inventory.
Philippines.....	PICCS (Philippine Inventory of Chemicals and Chemical Substances): This product is listed in, or complies with, the substance inventory.
United States of America (USA).....	TSCA (Toxic Substance Control Act Chemical Substance Inventory): All components of this product are listed as active or are in compliance with the substance inventory.
Taiwan (Republic of China).....	TCSI (Taiwan Chemical Substance Inventory): This product is listed in, or complies with, the substance inventory. General note: The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation.
European Economic Area (EEA).....	REACH (Regulation (EC) No 1907/2006): General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.

Safety Data Sheet

Material: 60002712

**WACKER® AK 350
SILICONE FLUID**

Version: 1.14 (AU)

Date of print: 25.01.2019

Date of last alteration: 24.05.2018

SECTION 16: Other information**16.1 Material**

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

All deliveries are subject to the WACKER SILICONES Health Care Policy, which is available at www.wacker.com.

16.2 Further information:

Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

16.3 Glossary of Terms:

CAS No. - Chemical Abstracts Service Registry Number

UN No. - United Nations Dangerous Goods Number

ADG Code - Australian Dangerous Goods Code for the Transport of Dangerous Goods by Road & Rail

IMDG Code - International Maritime Dangerous Goods Code

IATA Regs - International Air Transport Association (IATA) Dangerous Goods Regulations

NOHSC - Australian National Occupational Health and Safety Commission (Note: NOHSC documents are now published by Safe Work Australia)

OEL - Occupational exposure limit in Great Britain

AGW - Occupational exposure limit in Germany

ES_AU - Occupational exposure standard in Australia

- End of Safety Data Sheet -